```
Sequence Listing could not be accepted due to errors.
See attached Validation Report.
If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).
Reviewer: markspencer
Timestamp: [year=2009; month=6; day=19; hr=14; min=41; sec=24; ms=448; ]
_____
***************
Reviewer Comments:
1.
<210> 17
<211> 33
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20
<220>
<221> X
<222> (2)..(2)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid
<220>
<221> X
<222> (18)..(18)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (19)..(31)
```

<223> X = any amino acid

```
<220>
<221> X
<222> (32)..(32)
<223> X = W or F
<220>
<221> X
<222> (33)..(33)
```

<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

* * * * * * * * *

For SEQ ID # 17, 18,19,21,22, and 23, "Xaa" cannot represent more than one amino acid. For example, SEQ ID # 17 says the "Xaa" at positions 1 and 33 can represent 1 to 20 amino acids. Please make all necessary changes.

```
2.
W213
                Artificial or Unknown found in <213> in SEQ ID (1)
E257
                Invalid sequence data feature in <221> in SEQ ID (1)
E257
                Invalid sequence data feature in <221> in SEQ ID (1)
E257
                Invalid sequence data feature in <221> in SEQ ID (1)
E257
                Invalid sequence data feature in <221> in SEQ ID (1)
E257
                Invalid sequence data feature in <221> in SEQ ID (1)
W213
                Artificial or Unknown found in <213> in SEQ ID (2)
W213
                Artificial or Unknown found in <213> in SEQ ID (3)
W213
                Artificial or Unknown found in <213> in SEO ID (4)
W213
                Artificial or Unknown found in <213> in SEQ ID (5)
W213
                Artificial or Unknown found in <213> in SEQ ID
W213
                Artificial or Unknown found in <213> in SEQ ID (7)
W213
                Artificial or Unknown found in <213> in SEQ ID (8)
W213
                Artificial or Unknown found in <213> in SEQ ID (9)
W213
                Artificial or Unknown found in <213> in SEQ ID (10)
W213
                Artificial or Unknown found in <213> in SEO ID (11)
W213
                Artificial or Unknown found in <213> in SEQ ID
                                                                (12)
                Artificial or Unknown found in <213> in SEO ID (13)
W2.13
W213
                Artificial or Unknown found in <213> in SEQ ID (14)
W213
                Artificial or Unknown found in <213> in SEQ ID (15)
                Artificial or Unknown found in <213> in SEQ ID (16)
W213
W213
                Artificial or Unknown found in <213> in SEQ ID (17)
                Invalid sequence data feature in <221> in SEQ ID (17)
E257
```

E257	Invalid sequence data feature in <221> in SEQ ID (17)							
E257	Invalid sequence data feature in <221> in SEQ ID (17)							
E257	Invalid sequence data feature in <221> in SEQ ID (17)							
E257	Invalid sequence data feature in <221> in SEQ ID (17)							
E257	Invalid sequence data feature in <221> in SEQ ID (17)							
E257	Invalid sequence data feature in <221> in SEQ ID (17)							
W213	Artificial or Unknown found in <213> in SEQ ID (18)							
E257	Invalid sequence data feature in <221> in SEQ ID (18)							
E257	Invalid sequence data feature in <221> in SEQ ID (18)							
E257	Invalid sequence data feature in <221> in SEQ ID (18)							
E257	Invalid sequence data feature in <221> in SEQ ID (18)							
E257	Invalid sequence data feature in <221> in SEQ ID (18)							
E257	Invalid sequence data feature in <221> in SEQ ID (18)							
W213	Artificial or Unknown found in <213> in SEQ ID (19)							
E257	Invalid sequence data feature in <221> in SEQ ID (19)							
E257	Invalid sequence data feature in <221> in SEQ ID (19)							
This error has occured more than 20 times, will not be displayed								
W213	Artificial or Unknown found in <213> in SEQ ID (20) Th	is						
error has occured more than 20 times, will not be displayed								

Validated By CRFValidator v 1.0.3

Application No: 10551619 Version No: 3.0

Input Set:

Output Set:

Started: 2009-06-08 13:02:11.291 **Finished:** 2009-06-08 13:02:26.403

Elapsed: 0 hr(s) 0 min(s) 15 sec(s) 112 ms

Total Warnings: 33

Total Errors: 58

No. of SeqIDs Defined: 33

Actual SeqID Count: 33

Err	or code	code Error Description				
W	213	Artificial or Unknown found in <213> in SEQ ID (1)				
E	257	Invalid sequence data feature in <221> in SEQ ID (1)				
E	257	Invalid sequence data feature in <221> in SEQ ID (1)				
E	257	Invalid sequence data feature in <221> in SEQ ID (1)				
E	257	Invalid sequence data feature in <221> in SEQ ID (1)				
E	257	Invalid sequence data feature in <221> in SEQ ID (1)				
W	213	Artificial or Unknown found in <213> in SEQ ID (2)				
W	213	Artificial or Unknown found in <213> in SEQ ID (3)				
W	213	Artificial or Unknown found in <213> in SEQ ID (4)				
W	213	Artificial or Unknown found in <213> in SEQ ID (5)				
W	213	Artificial or Unknown found in <213> in SEQ ID (6)				
W	213	Artificial or Unknown found in <213> in SEQ ID (7)				
W	213	Artificial or Unknown found in <213> in SEQ ID (8)				
W	213	Artificial or Unknown found in <213> in SEQ ID (9)				
W	213	Artificial or Unknown found in <213> in SEQ ID (10)				
W	213	Artificial or Unknown found in <213> in SEQ ID (11)				
W	213	Artificial or Unknown found in <213> in SEQ ID (12)				
W	213	Artificial or Unknown found in <213> in SEQ ID (13)				
W	213	Artificial or Unknown found in <213> in SEQ ID (14)				
W	213	Artificial or Unknown found in <213> in SEQ ID (15)				

Input Set:

Output Set:

Started: 2009-06-08 13:02:11.291 **Finished:** 2009-06-08 13:02:26.403

Elapsed: 0 hr(s) 0 min(s) 15 sec(s) 112 ms

Total Warnings: 33

Total Errors: 58

No. of SeqIDs Defined: 33

Actual SeqID Count: 33

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (16)
W	213	Artificial or Unknown found in <213> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
W	213	Artificial or Unknown found in <213> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
W	213	Artificial or Unknown found in <213> in SEQ ID (19)
E	257	Invalid sequence data feature in <221> in SEQ ID (19)
E	257	Invalid sequence data feature in <221> in SEQ ID (19) This error has occured more than 20 times, will not be displayed
W	213	Artificial or Unknown found in $<213>$ in SEQ ID (20) This error has occured more than 20 times, will not be displayed

SEQUENCE LISTING

```
<110> The Regents of the University of California
       Martin, Paul Taylor
<120> AMYLOID-SPECIFIC PEPTIDES AND USES THEREOF
<130> 00015-022US1
<140> 10551619
<141> 2006-12-22
<150> US 60/461,168
<151> 2003-04-07
<150> PCT/US04/10939
<151> 2004-04-07
<160> 33
<170> PatentIn version 3.3
<210> 1
<211> 10
<212> PRT
<213> Artificial sequence
<220>
<223> consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
\langle 223 \rangle X = W OR F
<220>
<221> X
<222> (2)..(6)
<223> X = any amino acid having two positively charged residues and no
       negatively charged residues
<220>
<221> X
<222> (7)..(7)
\langle 223 \rangle X = W OR F
<220>
<221> X
<222> (8)..(9)
<223> X = Any amino acid
<220>
<221> X
<222> (10)..(10)
\langle 223 \rangle X = W OR F
```

```
<400> 1
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
    5
<210> 2
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 2
Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser Gly
                               10
Lys Thr Glu Ala
   20
<210> 3
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 3
Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu Phe
                              10
Ser Gln Asp Gln
    20
<210> 4
<211> 26
<212> PRT
<213> Artificial sequence
<220>
```

<223> Phage display peptide library sequence

Ala Glu Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly

10

<400> 4

```
<210> 5
<211> 22
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 5
Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser
                              10
            5
Gly Lys Thr Glu Ala Cys
   20
<210> 6
<211> 22
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 6
Cys Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu
                       10
Phe Ser Gln Asp Gln Cys
    20
<210> 7
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 7
Leu Gly Ser Gly Arg Ile Gly Asp Gly Trp Ser Asp Gly Gly Leu Ala
                              10
```

Ala Ser Gly Lys Thr Glu Ala Cys Gly Pro
20 25

Arg Arg Leu Lys

```
<210> 8
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 8
Asp Gly Gly Gly Ala Gly Arg Trp Thr Thr Lys Asp Arg Ser Ala
1 5
Ala Lys Thr Glu
      20
<210> 9
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 9
Val Asp Asp Gly Ala Gln Gly Lys Arg Trp Gly Gly Met Gly Leu Gly
1 5
                  10
Lys Gly Arg Arg
<210> 10
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 10
Ser Gly Ser Gly Val Gly Leu Arg Met Ala Ser Gln Arg His Glu Gly
    5
                  10
Arg Lys Val Tyr
   20
<210> 11
```

<211> 20

```
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 11
Gln Leu Pro Gln Asn Gly Gly Pro Ala Trp Phe Thr Arg Lys Ala Gly
                  10
Gln Gly Gly Arg
          20
<210> 12
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 12
Leu Gly Tyr Ala Gly Gly Gly Gln Gly Met Val Glu Gly Ser Phe Trp
                   10
Pro Thr Ser Trp
          20
<210> 13
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 13
Gly Leu Arg Gly Met Glu Gly Arg Gly Tyr Pro Lys Asp Arg Arg Asp
1 5
Arg Asn Leu Glu
        20
<210> 14
<211> 20
<212> PRT
```

<213> Artificial sequence

```
<223> Phage display peptide library sequence
<400> 14
Leu Ile Gly Gly Asn Lys Ala Gly Arg Gly Ala Trp Gly Val Val Ala
                               10
Ser Ser Gly Arg
          20
<210> 15
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 15
Glu Leu Glu Ser Arg Gly Gly Leu Gly Tyr Ala Trp Arg Gly Ser Ala
                   10
Ser Thr Met Asp
       20
<210> 16
<211> 20
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 16
Lys Gly Glu Thr Gly Asn Gly Gly Arg Ala Lys Ala Gly Thr Val Asp
                     10
Leu Ile Arg Arg
          20
<210> 17
<211> 33
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
```

<220>

```
<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20
<220>
<221> X
<222> (2)..(2)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid
<220>
<221> X
<222> (18)..(18)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (19)..(31)
<223> X = any amino acid
<220>
<221> X
<222> (32)..(32)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (33)..(33)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20
<400> 17
15
      5
                           10
20
                          25
```

Xaa

<210> 18 <211> 32 <212> PRT

```
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20
<220>
<221> X
<222> (2)..(2)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (3)..(17)
<223> X = any positively charged amino acid
<220>
<221> X
<222> (18)..(18)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (19)..(31)
\langle 223 \rangle X = any amino acid
<220>
<221> X
<222> (32)..(32)
\langle 223 \rangle X = W or F
<400> 18
5
                               10
                                                15
20
                 25
<210> 19
<211> 32
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
```

<213> Artificial sequence

```
<220>
<221> X
<222> (1)..(1)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid
<220>
<221> X
<222> (17)..(17)
<223> X = W \text{ or } F
<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid
<220>
<221> X
<222> (31)..(31)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (32)..(32)
<223> X = any amino acid with at least one cysteine residue having the
     formula (Xaa)n, where Xaa is any amino acid and n is an integer
     from 1 to 20
<400> 19
1 5 10
20
                        25
<210> 20
<211> 31
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
\langle 223 \rangle X = W or F
```

<220>

```
<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid
<220>
<221> X
<222> (17)..(17)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid
<220>
<221> X
<222> (31)..(31)
\langle 223 \rangle X = W or F
<400> 20
5
                     10
25
          20
                                            30
<210> 21
<211> 41
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
     from 1 to 20
<220>
<221> X
<222> (2)..(2)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (3)..(17)
<223> X = Any positively charged amino acid
<220>
<221> X
```

```
<222> (18)..(18)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (19)..(39)
<223> X = any amino acid
<220>
<221> X
<222> (40)..(40)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (41)..(41)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
     from 1 to 20
<400> 21
10
20
                 25
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
     3.5
                       40
<210> 22
<211> 40
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
<223> X = any amino acid with at least one cysteine residue having the
     formula (Xaa)n, where Xaa is any amino acid and n is an integer
     from 1 to 20
<220>
<221> X
<222> (2)..(2)
\langle 223 \rangle X = W or F
<220>
<221> X
```

```
<222> (3)..(17)
<223> X = any positively charged amino acid
<220>
<221> X
<222> (18)..(18)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (19)..(39)
<223> X = any amino acid
<220>
<221> X
<222> (40)..(40)
\langle 223 \rangle X = W or F
<400> 22
10
                                              15
20 25
Xaa Xaa Xaa Xaa Xaa Xaa Xaa
  35
<210> 23
<211> 40
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (2)..(16)
<223> X = any positively charged amino acid
<220>
<221> X
<222> (17)..(17)
\langle 223 \rangle X = W or F
```

<220>

```
<221> X
<222> (18)..(38)
\langle 223 \rangle X = any amino acid
<220>
<221> X
<222> (39)..(39)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (40)..(40)
<223> X = any amino acid with at least one cysteine residue having the
      formula (Xaa)n, where Xaa is any amino acid and n is an integer
      from 1 to 20
<400> 23
20
                        25
Xaa Xaa Xaa Xaa Xaa Xaa
   35
<210> 24
<211> 39
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (2)..(16)
<223> X = any positively charged amino acid
<220>
<221> X
<222> (17)..(17)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (18)..(38)
```

```
<220>
<221> X
<222> (39)..(39)
\langle 223 \rangle X = W or F
<400> 24
1 5
                  10
20
                  25
Xaa Xaa Xaa Xaa Xaa Xaa
     35
<210> 25
<211> 5
<212> PRT
<213> Artificial sequence
<220>
<223> Flanking peptide sequence
<400> 25
Ser Arg Lys Asn Gln
<210> 26
<211> 9
<212> PRT
<213> Artificial sequence
<220>
<223> Phage display peptide library sequence
<400> 26
His Cys Ser Gln Asn Glu Asp Gly Ala
<210> 27
<211> 9
<212> PRT
<213> Artificial sequence
<220>
```

<223> Phage display peptide library sequence

<223> X = any amino acid

```
<400> 27
```

<211> 105 <212> DNA

Tyr Ser Thr Thr Ser Trp Tyr Tyr Trp <210> 28 <211> 40 <212> PRT <213> Artificial sequence <220> <223> Alpha-Beta 1-40 fragment <400> 28 Asp Ala Glu Phe Lys His Asp Ser Gly Thr Glu Val His His Gln Lys 5 10 Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys Gly Ala Ile Ile 25 20 Gly Leu Met Val Gly Gly Val Val 35 <210> 29 <211> 20 <212> DNA <213> Artificial sequence <220> <223> primer <400> 29 20 gtttgtcgtc tttccagacg <210> 30 <211> 105 <212> DNA <213> Artificial sequence <220> <223> Nucleotide cloning sequence <400> 30 cggggtacct gcagaatgcg attgggggaa ggggggtcgg tggcggttgt ggccgggtgc 60 gtcggggaag acggaggcgt gcggcccgcc gtattagtct agagc 105 <210> 31

```
<220>
<223> Nucleotide cloning sequence
<400> 31
getetagact aatacggegg geegeaegee teegtettee eegaegeaee eggeeaeaae
                                                                      60
cgccaccgac ccccttccc ccaatcgcat tctgcaggta ccccg
                                                                      105
<210> 32
<211> 5
<212> PRT
<213> Artificial sequence
<220>
<223> Flanking sequence from phage coat
<400> 32
Cys Gly Pro Pro Tyr
       5
<210> 33
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus peptide sequence
<220>
<221> X
<222> (1)..(1)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (2)..(6)
<223> X = any positively charged amino acid
<220>
<221> X
<222> (7)..(7)
\langle 223 \rangle X = W or F
<220>
<221> X
<222> (8)..(10)
\langle 223 \rangle X = any amino acid
<220>
<221> X
<222> (11)..(11)
```

<213> Artificial sequence

<223> X = W or F

<400> 33